

Bilmärke	Bilmodell	Bultcirkel	Org.offs (ET)	Navhåll
Alfa Romeo	145 95>	4/98	43	58,1
Alfa Romeo	146 95>	4/98	43	58,1
Alfa Romeo	155 92-94	4/98	49	58,1
Alfa Romeo	155 95-97	4/98	37	58,1
Alfa Romeo	164 2,0 T,Spark88>	4/98	40	58,1
Alfa Romeo	33 87-94	4/98	39	58,6
Alfa Romeo	75&90 2,0	4/98	45	58,6
Alfa Romeo	Alfa sud,Sprint	4/98	39	58,6
Alfa Romeo	Giulietta	4/98	45	58,6
Alfa Romeo	GTV 4 Bult	4/98	45	58,6
Alfa Romeo	166 99>	5/108	41	58,1
Alfa Romeo	156 98>	5/98	37	58,1
Alfa Romeo	164 3,0, V6	5/98	40	58,1
Alfa Romeo	164V6-24V 16"	5/98	37	58,1
Alfa Romeo	Spider GTV 95>	5/98	35	58,1
Alfa Romeo	Spider GTV 98>	5/98	37	58,1
Alfa Romeo	75 2,5, 3,0 Turbo	5/98	45	58,6
Alfa Romeo	GTV 5 Bult	5/98	45	58,6
Audi	100 75-91	4/108	45	57,1
Audi	80 87-92	4/108	45	57,1
Audi	80 92-95 15"-	4/108	45	57,1
Audi	80GT coupe & Quattro-96	4/108	45	57,1
Audi	A3 97>	5/100	38	57,1
Audi	S3 99> 16"-	5/100	38	57,1
Audi	TT Coupe	5/100	31	57,1
Audi	100 91-94	5/112	45	57,1
Audi	100/200 Quattro, Turbo	5/112	45	57,1
Audi	A4 65>	5/112	45	57,1
Audi	A6 94-99	5/112	45	57,1
Audi	A6 99> 16"-	5/112	45	57,1
Audi	A8 94>	5/112	40	57,1
Audi	S2 Coupe 90-96	5/112	37	57,1
Audi	S4 91>	5/112	40	57,1
Audi	S6 95>	5/112	40	57,1
Audi	S8	5/112	40	57,1
Audi	V8 90-94	5/112	40	57,1
BMW	3 Serien 83-90 (ej325ix)	4/100	35	57,1
BMW	E30	4/100	35	57,1
BMW	850 89>	5/120	20	72,6
BMW	E30	5/120		72,6
BMW	E32 6-Serien	5/120	20	72,6
BMW	E32 7-Serien 87-94	5/120	20	72,6
BMW	E34 525ix 4WD 91-97	5/120	54	72,6
BMW	E34 5-Serien 88-95	5/120	20	72,6
BMW	E34 5-SerienTouring>96	5/120	20	72,6
BMW	E36 3-Serien 91-98	5/120	42	72,6
BMW	E36 3-Serien Compact 94>	5/120	42	72,6
BMW	E36 3-Serien Touring 95>	5/120	42	72,6
BMW	E36 Coupe/Cabrio 92>	5/120	42	72,6
BMW	E36 M3 92> 16"-	5/120	42	72,6
BMW	E36 Z3 Roadster 96>	5/120	42	72,6
BMW	E38 7-Serien 95> 16"	5/120	20	72,6
BMW	E46 3-Serien 98>	5/120	42	72,6
BMW	E46 med std 16" passar ej 15"	5/120	42	72,6
BMW	M3 Evolution II/III	5/120		72,6

BMW	M3>92	5/120		72,6
BMW	M5 89-98	5/120	20	72,6
BMW	(528, 535i 16"-	5/120	20	74,1
BMW	E39 5-Serien 96>	5/120	20	74,1
BMW	E39 5-SerienTouring 97>	5/120	20	74,1
BMW	M5 99> 18"-	5/120	20	74,1
CITROEN	AX Gti 4-bult 91-97 (org ET 20)	4/108	24	65,1
CITROEN	Berlingo 97> (org ET 24)	4/108	*	65,1
CITROEN	BX 84-93	4/108	24	65,1
CITROEN	Saxo 4-bult 96 (org ET 20)	4/108	24	65,1
CITROEN	Xantia 94>	4/108	*	65,1
CITROEN	Xsara 98>	4/108	*	65,1
CITROEN	ZX 91-98	4/108	24	65,1
CITROEN	XM 89>	5/108	45	65,1
CITROEN	C25 84-94	5/118	55	71,1
CITROEN	Jumper 94> (org ET 68)	5/118	55	71,1
CITROEN	Evasion 95>	5/98	31	58,1
CITROEN	Jumpy 96>	5/98	31	58,1
Daewoo	Espero >97	4/100	49	56,6
Daewoo	Lanos 97>	4/100	49	56,6
Daewoo	Nexia >97	4/100	49	56,6
Daewoo	Nubira 97>	4/100	49	56,6
Daewoo	Matiz 99>	4/114,3	45	69,6
Daewoo	Leganza	5/114,3	49	56,6
DAIHATSU	Applause 89>	4/100	45	56,1
DAIHATSU	Charade 87>	4/100	45	56,1
DAIHATSU	Grand Move 97> (ej Move med b.cirk 4/110)	4/100	45	56,1
DAIHATSU	Sirion 98>	4/100	45	56,1
DAIHATSU	Terios 97>	5/114,3	40	66,6
DAIHATSU	Rocky	5/139,7	40	*
FIAT	Barchetta 96> 15" (org ET 32)	4/98	43	58,1
FIAT	Brava 96>	4/98	43	58,1
FIAT	Bravo 96>	4/98	43	58,1
FIAT	Coupe 94> 15"	4/98	43	58,1
FIAT	Croma 88-96	4/98	*	58,1
FIAT	Marea 97>	4/98	43	58,1
FIAT	Marea Weekend 97>	4/98	43	58,1
FIAT	Multipla 99>	4/98	43	58,1
FIAT	Palio Weekend 98>	4/98	*	58,1
FIAT	Punto 94 (org ET 48)	4/98	*	58,1
FIAT	Tempra 90-96	4/98	*	58,1
FIAT	Tipo 88-95	4/98	*	58,1
FIAT	Uno 83-93	4/98	*	58,1
FIAT	Ducato 82-93	5/118	55	71,1
FIAT	Ducato 94> (org ET 68)	5/118	55	71,1
FIAT	Scudo 96>	5/98	31	58,1
FIAT	Ulysse 95>	5/98	31	58,1
FORD	Cougar 98> 15"	4/108	47	63,3
FORD	Escort >98 (ej Cosworth)	4/108	41	63,3
FORD	Fiesta 83> (96> org ET 43)	4/108	37	63,3
FORD	Focus 98>	4/108	41	63,3
FORD	Ka 96>	4/108	37	63,3
FORD	Mondeo	4/108	47	63,3
FORD	Orion >93	4/108	41	63,3
FORD	Puma 97> (org ET 34)	4/108	37	63,3
FORD	Scorpio 95> 15"- (org ET 49)	4/108	47	63,3

FORD	Sierra (ej v6 2,9 4x4)	4/108	41	63,3
FORD	Sierra >93	4/108	41	63,3
FORD	Sierra Cosworth 15"-	4/108	41	63,3
FORD	Sierra XR4 4x4 17"-	4/108	41	63,3
FORD	Taurus 97>	5/108	42	63,3
FORD	Windstar 95>	5/108	42	63,3
FORD	Granada (ET47)	5/112	38	63,3
FORD	Scorpio >94	5/112	38	63,3
FORD	Galaxy	5/112	40	67,1
FORD	Probe 93-98	5/114,3	40	67,1
HONDA	Accord 82-90	4/100	45	56,1
HONDA	Civic 81>	4/100	45	56,1
HONDA	Concerto	4/100	45	56,1
HONDA	Logo 99> (org ET 35) Max 15"	4/100	45	56,1
HONDA	Prelude >92	4/100	45	56,1
HONDA	Quintett	4/100	45	56,1
HONDA	Accord 91-98	4/114,3	50	64,1
HONDA	Accord 99> (org ET 60)	4/114,3	50	64,1
HONDA	Civic 1,8Vti 97>	4/114,3	50	64,1
HONDA	Legend >91 (org ET 45)	4/114,3	50	64,1
HONDA	Prelude 92-96 (org ET 55)	4/114,3	50	64,1
HONDA	Accord-R	5/114,3	45	64,1
HONDA	CR-V 97>(org ET 50)	5/114,3	45	64,1
HONDA	Integra-R	5/114,3	45	64,1
HONDA	Legend 96>16"	5/114,3	45	64,1
HONDA	Prelude 97>	5/114,3	45	64,1
HONDA	Shuttle 95>	5/114,3	45	64,1
HONDA	Legend 92-95	5/114,3	65	70,1
HONDA	S2000 >99	5/114,3	65	70,1
HYUNDAI	Accent 99>	4/100	46	54,1
HYUNDAI	Atos 98> 13"-14"	4/114,3	46	67,1
HYUNDAI	Coupe 97>	4/114,3	46	67,1
HYUNDAI	Elantra 91>	4/114,3	46	67,1
HYUNDAI	Pony & Accent >99	4/114,3	46	67,1
HYUNDAI	Scoupe 90>	4/114,3	46	67,1
HYUNDAI	Sonata 88>	4/114,3	46	67,1
HYUNDAI	H100 95>	5/114,3	40	67,1
HYUNDAI	Starex, H1 98>	5/114,3	40	67,1
HYUNDAI	XG 99>	5/114,3	46	67,1
ISUZU	Campo	6/139,7	30	*
ISUZU	Trooper >86	6/139,7	7,5	*
ISUZU	Trooper 87>	6/139,7	30	*
JAGUAR	S-Klass 98>	5/108	60	63,4
JAGUAR	1448 XJS 91>	5/120,65	33	74,1
JAGUAR	X300	5/120,65	33	74,1
JAGUAR	XJ 6 90>, Sovereign	5/120,65	33	74,1
JAGUAR	XJ 8	5/120,65	33	74,1
JAGUAR	XJR 95>	5/120,65	33	74,1
JAGUAR	XK 8	5/120,65	33	74,1
KIA	Sephia 93-98	4/100	45	56,1
KIA	Shuma 98>	4/100	45	56,1
KIA	Pride 95-98	4/114,3	40	59,6
KIA	Clarus 96>	4/114,3	45	67,1
KIA	Carnival 99>	5/114,3	50	67,1
KIA	Sportage	5/139,7	45	*
LEXUS	GS 300 93>	5/114,3	50	60,1

LEXUS	IS 200 99>	5/114,3	50	60,1
LEXUS	LS 400 91>	5/114,3	50	60,1
LEXUS	LS 400 94> 16"	5/114,3	50	60,1
MAZDA	121 92-95	4/100	45	54,1
MAZDA	323 90>	4/100	45	54,1
MAZDA	Demio	4/100	45	54,1
MAZDA	MX3	4/100	45	54,1
MAZDA	MX5 Miata	4/100	45	54,1
MAZDA	121 96>	4/108	43	63,3
MAZDA	121>91	4/114,3	45	59,6
MAZDA	323 81-89	4/114,3	45	59,6
MAZDA	323 Combi 86-89	4/114,3	45	59,6
MAZDA	626 83-87	4/114,3	45	59,6
MAZDA	929 82-87	4/114,3	45	59,6
MAZDA	RX 7 83-86	4/114,3	45	59,6
MAZDA	626 88-91	5/114,3	45	59,6
MAZDA	929>92	5/114,3	45	59,6
MAZDA	RX 7 86-92	5/114,3	45	59,6
MAZDA	323 2,0 V6 95>	5/114,3	45	67,1
MAZDA	626 92>(98 org ET 50)	5/114,3	45	67,1
MAZDA	929 87-92	5/114,3	45	67,1
MAZDA	MPV	5/114,3	40	67,1
MAZDA	MX6 92>	5/114,3	45	67,1
MAZDA	Premacy 99>	5/114,3	50	67,1
MAZDA	RX 793-96 (org ET 55)	5/114,3	45	67,1
MAZDA	Xedos 6 92>	5/114,3	50	67,1
MAZDA	Xedos 9 93>	5/114,3	50	67,1
MERCEDES	160	5/112	54	66,6
MERCEDES	170	5/112	54	66,6
MERCEDES	190 E, D, TD, 16V	5/112	49	66,6
MERCEDES	500E 94>	5/112	35	66,6
MERCEDES	A140	5/112	54	66,6
MERCEDES	C180, 200,220,230k,240,280,C220D,250D	5/112	37	66,6
MERCEDES	Cdi	5/112	54	66,6
MERCEDES	CL420,CL500,CL600	5/112	51	66,6
MERCEDES	CLK,200,CLK230K,CLK320,CLK430	5/112	37	66,6
MERCEDES	CLK430 97>	5/112	35	66,6
MERCEDES	E200,220,230,240,E200D,220D,250D,290D,	5/112	37	66,6
MERCEDES	E420,E430,AMG E50,E420,E430AMG E55	5/112	35	66,6
MERCEDES	S280,S320,S420,S500,S600,S300TD,S350TD	5/112	51	66,6
MERCEDES	S320,S400,S430,S500,S600	5/112	51	66,6
MERCEDES	SL280,300,300-24V,320,500,600	5/112	35	66,6
MERCEDES	SLK 200,SLK230	5/112	37	66,6
MERCEDES	TD	5/112	37	66,6
MERCEDES	TD,300D,E280,320	5/112	37	66,6
MERCEDES	W M-klass 98>	5/112	*	66,6
MERCEDES	W107 R 72-91	5/112	25	66,6
MERCEDES	W123 76-85	5/112	25	66,6
MERCEDES	W124	5/112	35	66,6
MERCEDES	W124 85-96 (Exkl. 4matic & 24v)	5/112	49	66,6
MERCEDES	W126 79-92	5/112	25	66,6
MERCEDES	W129R 89>	5/112	35	66,6
MERCEDES	W140 S-klass 91-98	5/112	51	66,6
MERCEDES	W168 A-klass 10/97>	5/112	54	66,6
MERCEDES	W170R SLK 96>	5/112	37	66,6
MERCEDES	W201 83>	5/112	49	66,6

MERCEDES	W202/HO C-klass 93>	5/112	37	66,6
MERCEDES	W208	5/112	35	66,6
MERCEDES	W208 CLK 97>	5/112	37	66,6
MERCEDES	W210 96>	5/112	35	66,6
MERCEDES	W210/210K E-klass 95>	5/112	37	66,6
MERCEDES	W220 S-klss 99>	5/112	51	66,6
MERCEDES	W638 V-klass 96>	5/112	60	66,6
MERCEDES	Vito	5/112	60	66,6
MITSUBISHI	Carisma 1,6 96>	4/100	46	56,1
MITSUBISHI	Colt 92>	4/100	46	56,1
MITSUBISHI	Lancer 93>	4/100	46	56,1
MITSUBISHI	Carisma 1,8 2,0 96>	4/114,3	46	67,1
MITSUBISHI	Colt 87-92	4/114,3	46	67,1
MITSUBISHI	Galant 85-97	4/114,3	46	67,1
MITSUBISHI	Galant 98>	4/114,3	46	67,1
MITSUBISHI	Galant V6, 24V 93>	4/114,3	46	67,1
MITSUBISHI	Lancer >93	4/114,3	46	67,1
MITSUBISHI	Lancer Hatchback 88-	4/114,3	46	67,1
MITSUBISHI	Space Runner 91-98	4/114,3	46	67,1
MITSUBISHI	Space Star 99>	4/114,3	46	67,1
MITSUBISHI	Space Wagon 85-98	4/114,3	46	67,1
MITSUBISHI	Eclipse 95>	5/114,3	46	67,1
MITSUBISHI	EVO II/IV/V GSR	5/114,3	*	67,1
MITSUBISHI	L300 2WD 87>	5/114,3	40	67,1
MITSUBISHI	L400 96>	5/114,3	40	67,1
MITSUBISHI	Sigma 90>	5/114,3	46	67,1
MITSUBISHI	Space Gear 96>	5/114,3	40	67,1
MITSUBISHI	Space Wagon	5/114,3	46	67,1
MITSUBISHI	Space Wagon 99>	5/114,3	46	67,1
MITSUBISHI	L200	6/139,7	22	*
MITSUBISHI	L300 4WD	6/139,7	27	*
MITSUBISHI	L400 2,4-16V 96>	6/139,7	33	*
MITSUBISHI	Pajero (GLS ET 10)	6/139,7	22	*
MITSUBISHI	Pajero (GLX ET 33)	6/139,7	22	*
MITSUBISHI	Pajero 91>	6/139,7	33	*
MITSUBISHI	Space Gear 4x4 95>	6/139,7	33	*
NISSAN	100 NX 91-95	4/100	45	59,1
NISSAN	Almera 96>	4/100	40	59,1
NISSAN	Micra 86>	4/100	45	59,1
NISSAN	Sunny 86-95	4/100	45	59,1
NISSAN	200 SX/ZX 89-94	4/114,3	40	66,1
NISSAN	Bluebird 84-90	4/114,3	45	66,1
NISSAN	Praire 86>	4/114,3	45	66,1
NISSAN	Primera 91>	4/114,3	45	66,1
NISSAN	Silvia 180 ZX	4/114,3	45	66,1
NISSAN	Vanette 4-bult 14-15" 80-95	4/114,3	45	66,1
NISSAN	200SX 95> 16"	5/114,3	40	66,1
NISSAN	240 SX 2,4i 16V	5/114,3	40	66,1
NISSAN	300ZX Twin Turbo 86> 16"	5/114,3	40	66,1
NISSAN	Maxima 85-95	5/114,3	35	66,1
NISSAN	Maxima QX 95>	5/114,3	40	66,1
NISSAN	Serena 93>	5/114,3	45	66,1
NISSAN	Vanette 95>	5/114,3	30	66,1
NISSAN	King Cab 4WD	6/139,7	30	*
NISSAN	Patrol y60 85-98	6/139,7	30	*
NISSAN	Patrol Y61 99>	6/139,7	30	*

NISSAN	Terrano >93	6/139,7	30	*
NISSAN	Terrano II 93>	6/139,7	25	*
OPEL	Ascona 82-88	4/100	49	56,6
OPEL	Astra 98>	4/100	39	56,6
OPEL	Astra A 91-97	4/100	49	56,6
OPEL	Calibra A 90-97	4/100	49	56,6
OPEL	Corsa 88>	4/100	49	56,6
OPEL	Kadett D,E 80-91	4/100	49	56,6
OPEL	Tigra 95>	4/100	49	56,6
OPEL	Vectra 96>	4/100	39	56,6
OPEL	Vectra A 88-95	4/100	49	56,6
OPEL	Astra B 98>	5/110	49	65,1
OPEL	Calibra A 92-97 V6, T 4x4	5/110	49	65,1
OPEL	Omega A 86-94	5/110	39	65,1
OPEL	Omega B 94	5/110	33	65,1
OPEL	Senator 88-94	5/110	33	65,1
OPEL	Vectra A 93-95 V6,T 4x4	5/110	49	65,1
OPEL	Vectra B 2,0i-16V, 2,5i V6 96>	5/110	49	65,1
OPEL	Zafira 98>	5/110	49	65,1
OPEL	Sintra 97>	5/115	52	70,3
OPEL	Frontera 95>	6/139,7	38	*
OPEL	Campo 4WD	6/139,7	30	*
OPEL	Frontera >95	6/139,7	0	*
OPEL	Moterey 92>	6/139,7	30	*
PEUGEOT	607 2000>	*	*	*
PEUGEOT	106 92>	4/108	20	65,1
PEUGEOT	205 82-96 (Gti ET 24)	4/108	28	65,1
PEUGEOT	206 98>	4/108	34	65,1
PEUGEOT	305 83-88 (orig ET 24)	4/108	24	65,1
PEUGEOT	305 85-93	4/108	24	65,1
PEUGEOT	306 92>	4/108	24	65,1
PEUGEOT	405 87-95	4/108	24	65,1
PEUGEOT	406 96>	4/108	18	65,1
PEUGEOT	Partner 96>	4/108	24	65,1
PEUGEOT	605 90>	5/108	45	65,1
PEUGEOT	Boxer 94>	5/118	68	71,1
PEUGEOT	J5 83-93	5/118	55	71,1
PEUGEOT	806 95>	5/98	31	58,1
PEUGEOT	Expert 96>	5/98	31	58,1
PORSHE	911 Typ 993	5/130	52	71,6
PORSHE	911 Typ 996	5/130	52	71,6
RENAULT	Clio 91>	4/100	36	60,1
RENAULT	Espace 85-91	4/100	42	60,1
RENAULT	Express 12	4/100	36	60,1
RENAULT	Kango, Express 98>	4/100	36	60,1
RENAULT	Laguna94>	4/100	50	60,1
RENAULT	Megane 96>	4/100	36	60,1
RENAULT	Megane Scenic 97>	4/100	36	60,1
RENAULT	R19 89-95	4/100	36	60,1
RENAULT	R21 86-94	4/100	36	60,1
RENAULT	R5 84-92	4/100	36	60,1
RENAULT	Safrane 93-96	4/100	50	60,1
RENAULT	Twingo 93>	4/100	36	60,1
RENAULT	Espace 91-96	5/108	42	60,1
RENAULT	Espace 97>	5/108	43	60,1
RENAULT	Laguna 96>	5/108	50	60,1

RENAULT	Safrane 96>	5/108	50	60,1
ROVER	200/400 Serien 89-96	4/100	45	56,1
ROVER	200/400 Serien 96>	4/100	45	56,1
ROVER	600 Serien 93>	4/114,3	50	64,1
ROVER	800 Serien	4/114,3	50	64,1
ROVER	MGF 95>	4/95,25	28	57,1
ROVER	75 99>	5/100	50	56,1
ROVER	Freelander 98>	5/114,3	46	*
ROVER	Discovery 2000	5/120	57	70
ROVER	Range Rover 95>	5/120	57	70
ROVER	Discovery <99	5/165	33	114,6
ROVER	Range Rover >95	5/165	33	114,6
SAAB	900 88-93	4/108	39	65,1
SAAB	9000-85-98	4/108	33	65,1
SAAB	900 94-97	5/110	49	65,1
SAAB	9-3 97>	5/110	49	65,1
SAAB	9-3 Viggen	5/110	49	65,1
SAAB	9-5 98>	5/110	49	65,1
SAAB	9-5 Aero	5/110	49	65,1
SEAT	Arosa 97>	4/100	43	57,1
SEAT	Cordoba 94>	4/100	38	57,1
SEAT	Cordoba Vario 96>	4/100	38	57,1
SEAT	Ibiza 93>	4/100	38	57,1
SEAT	Inca 96>	4/100	38	57,1
SEAT	Toledo 91>	4/100	38	57,1
SEAT	Toledo 99>	5/100	38	57,1
SEAT	Toledo Gti 96>	5/100	38	57,1
SEAT	Alhambra	5/112	55	57,1
SKODA	Felicia 95>	4/100	38	57,1
SKODA	Felicia Pick up 96>	4/100	38	57,1
SKODA	Fabia	5/100	38	57,1
SKODA	Octavia 97>	5/100	38	57,1
SSANG YONG	Korando 97>	6/139,7	15	*
SSANG YONG	Musso 96>	6/139,7	15	*
SUBARU	Forester 97>	5/100	55	56,1
SUBARU	Impreza 93>	5/100	55	56,1
SUBARU	Legacy 89>	5/100	55	56,1
SUBARU	Legacy Outback 97>>	5/100	55	56,1
SUZUKI	Baleno 95>	4/100	45	54,1
SUZUKI	Wagon R 98>	4/100	45	54,1
SUZUKI	Alto 95>	4/114,3	45	60,1
SUZUKI	Swift >88	4/114,3	45	60,1
SUZUKI	Swift 89>	4/114,3	45	60,1
SUZUKI	Grand Vitara 98>	5/139,7	5	*
SUZUKI	Jimny 98>	5/139,7	25	*
SUZUKI	Samurai, Rhino	5/139,7	25	*
SUZUKI	SJ 410, SJ413, X90,LJ 80	5/139,7	25	*
SUZUKI	Vitara 88>	5/139,7	25	*
SUZUKI	Vitara V6 Tdi	5/139,7	25	*
TOYOTA	Celica 2000	*	*	*
TOYOTA	Carina 84-87	4/100	45	54,1
TOYOTA	Celica 16i 86-92	4/100	39	54,1
TOYOTA	Corolla 83>	4/100	45	54,1
TOYOTA	Paseo 96>	4/100	39	54,1
TOYOTA	Starlet 85>	4/100	39	54,1
TOYOTA	Tercel 83>	4/100	45	54,1

TOYOTA	Yaris 99>	4/100	45	54,1
TOYOTA	Avensis 98>	5/100	39	54,1
TOYOTA	Camry 87-91	5/100	35	54,1
TOYOTA	Carina E 92-97	5/100	45	54,1
TOYOTA	Carina II 88-92	5/100	36	54,1
TOYOTA	Celica 2,0i 86-99	5/100	45	54,1
TOYOTA	Camry 92>	5/114,3	50	60,1
TOYOTA	MR 2 92>	5/114,3	45	60,1
TOYOTA	Picnic 97>	5/114,3	45	60,1
TOYOTA	Previa 91>	5/114,3	50	60,1
TOYOTA	RAV 4	5/114,3	45	60,1
TOYOTA	Supra 87-93	5/114,3	37	60,1
TOYOTA	Supra 94>	5/114,3	50	60,1
TOYOTA	4 Runner >92	6/139,7	30	*
TOYOTA	HI Ace 2WD 96>	6/139,7	29	*
TOYOTA	HI Ace 4WD	6/139,7	30	*
TOYOTA	HI Lux 4WD >88	6/139,7	0	*
TOYOTA	HI Lux 4WD 89-98	6/139,7	30	*
TOYOTA	HI Lux 4WD 98>	6/139,7	30	*
TOYOTA	Landcruiser >96	6/139,7	0	*
TOYOTA	Landcruiser J90 97>	6/139,7	30	*
TOYOTA	Station Wagon	6/139,7	0	*
VOLKSWAGEN	Jetta 84-91	4/100	38	57,1
VOLKSWAGEN	Corrado 88-95	4/100	38	57,1
VOLKSWAGEN	Golf I 79-83	4/100	38	57,1
VOLKSWAGEN	Golf II 84-92	4/100	38	57,1
VOLKSWAGEN	Golf III 92-97	4/100	38	57,1
VOLKSWAGEN	Lupo 99>	4/100	38	57,1
VOLKSWAGEN	Passat 83-96	4/100	38	57,1
VOLKSWAGEN	Polo 82>	4/100	38	57,1
VOLKSWAGEN	Scirroco 81-92	4/100	38	57,1
VOLKSWAGEN	Vento 92-98	4/100	38	57,1
VOLKSWAGEN	Beetle 98>	5/100	38	57,1
VOLKSWAGEN	Bora 99>	5/100	38	57,1
VOLKSWAGEN	Corrado VR6 92-95	5/100	38	57,1
VOLKSWAGEN	Golf III Gti, VR6 92-97	5/100	38	57,1
VOLKSWAGEN	Golf IV 98>	5/100	38	57,1
VOLKSWAGEN	Passat 2,0i-16V, VR6 91-96	5/100	38	57,1
VOLKSWAGEN	Vento 2,0i-16V, VR6 92-98	5/100	38	57,1
VOLKSWAGEN	Passat 97>	5/112	45	57,1
VOLKSWAGEN	Sharan 96	5/112	55	57,1
VOLKSWAGEN	Transport T4 91-95	5/112	44	57,1
VOLKSWAGEN	Transport T4 96>	5/112	55	57,1
VOLKSWAGEN	Taro 4WD 89>	6/139,7	30	*
VOLVO	3-Serien	4/100	37	52,2
VOLVO	440/460/480	4/100	37	52,2
VOLVO	850 >93	4/108	43	65,1
VOLVO	S40/V40 96-97	4/114,3	44	67,1
VOLVO	S40/V40 97>	4/114,3	44	67,1
VOLVO	240	5/108	25	65,1
VOLVO	740/760/780	5/108	25	65,1
VOLVO	850 93-96	5/108	43	65,1
VOLVO	940 91-96	5/108	25	65,1
VOLVO	960 91-94	5/108	25	65,1
VOLVO	960 95-96	5/108	43	65,1
VOLVO	C70 97>	5/108	43	65,1

VOLVO	S60 2000	5/108	43	65,1
VOLVO	S70/V70 97>	5/108	43	65,1
VOLVO	S80 2,4 98>	5/108	43	65,1
VOLVO	S80 2,9, T6 98>	5/108	43	65,1
VOLVO	S90/V90 97>	5/108	43	65,1
VOLVO	T5R 97>	5/108	43	65,1
VOLVO	Valp	5/139,7	*	*